

In the claims:

1. (currently amended) A ~~plastid transformation and expression~~ vector useful for transformation of a target plastid of a higher plant species, said vector comprising an expression cassette which comprises an expression cassette comprising as operably linked components, a 5' part of the plastid DNA sequence inclusive of the spacer sequence, a promoter operative in said plastid, the target plastid, a selectable marker sequence, at least one DNA sequence encoding at least [a] an immunologically active portion of an immunoglobulin ~~mutimeric~~ multimeric chain, at least one DNA sequence encoding a chaperonin, a transcription termination region functional in said the target plastid, and the 3' on each of the 5' and 3' ends of said expression cassette DNA sequences which are homologous to a part of the target plastid DNA sequence genome of a higher plant species.

2. (currently amended) The ~~plastid transformation and expression~~ vector of claim 1, wherein said immunoglobulin ~~mutimeric~~ multimeric chain comprises a heavy chain.

3. (currently amended) The ~~plastid transformation and expression~~ vector of claim 1, wherein said immunoglobulin ~~mutimeric~~ multimeric chain comprises a light chain.

4. (currently amended) The ~~plastid transformation and expression~~ vector of claim 1, wherein said immunoglobulin ~~mutimeric~~ multimeric chain comprises both a heavy and a light chain.

5. (currently amended) The ~~plastid transformation and expression~~ vector of claim 1, wherein said immunoglobulin ~~mutimeric~~ multimeric chain comprises a single-chain variable fragment (scFv).

6. (currently amended) The ~~plastid transformation and expression~~ vector of claim 1, wherein said immunoglobulin ~~mutimeric~~ multimeric chain comprises a heavy chain constant region fused to an operative ligand.

7. (currently amended) The ~~plastid transformation and expression~~ vector of claim 4, wherein said heavy and light chains are separated by a linker comprising ~~an intervening~~ a stop codon and a ribosome binding site.

28. (currently amended) A method for ~~introducing DNA encoding~~producing immunoglobulin ~~mutimericmultimeric chain coding sequences into~~protein in a plastid, said method comprising:

introducing a plastid expression vector into a plant cell[, ] of a higher plant species having a target ~~plastid expression vector adsorbed onto a microprojectile,~~

said plastid expression vector comprising as operably linked components[, ]

a DNA sequence containing at least one plastid replication origin functional in [a]the target plastid,

a transcriptional initiation region functional in [a]the target plastid,

at least one heterologous DNA sequence encoding at least [a]an immunologically active portion of an immunoglobulin ~~mutimericmultimeric~~ chain,

~~at least one DNA sequence encoding a chaperonin and~~

a transcriptional termination region functional in ~~said cell~~the target plasmid, whereby said heterologous DNA is introduced into [a]the target plastid in ~~said~~the plant cell; and wherein a multimeric immunoglobulin is produced.

29. (currently amended) The method of claim 28, wherein said immunoglobulin ~~mutimericmultimeric~~ chain comprises a heavy chain.

30. (currently amended) The method of claim 28, wherein said immunoglobulin ~~mutimericmultimeric~~ chain comprises a light chain.

31. (currently amended) The method of claim 28, wherein said immunoglobulin ~~mutimericmultimeric~~ chain comprises both a heavy chain and a light chain.

32. (currently amended) The method of claim 28, wherein said immunoglobulin ~~mutimericmultimeric~~ chain comprises a single-chain variable fragment (scFv).

33. (currently amended) The method of claim 28, wherein said immunoglobulin ~~mutimericmultimeric~~ chain comprises a heavy chain constant region fused to an operative ligand.

Please cancel claims 11-27, 34-40, and 44-50, without prejudice.